

The Dangerous Boda Boda Transport Mode: Mitigating an Impending War on the Roads in a Transforming City? Case of Kampala City

Paul Wanume¹, Alex Nduhura^{1,*}, Benedict Mugerwa², Henry Bagambe³, Jemimah Ninsiima⁴

¹MCIPS, Uganda Management Institute, Uganda

²MCIM/Urban Management Specialist, Uganda Management Institute, Uganda

³Uganda Management Institute, Uganda

⁴FCCA, Uganda Management Institute, Uganda

Abstract This paper investigates the tyranny of motorbike (boda boda) socio economic costs associated with commercial motorbike accidents in a city setting and provides strategies to reduce the negative effect of such transport mode. Existing research has focused on social economic costs with vehicles automobile related accidents leaving silent but impactful broader indirect costs and strategies for managing boda boda in the city un debated and in limbo. The study borrows from the view that cities and their streets are for everyone. City dwellers no matter the economic and social status must have an opportunity to enjoy life in cities. Based on a cross-sectional survey and documents analysis, this paper concludes that the costs of *boda boda* accidents is alarming and may be silently impacting on economic growth and prosperity of city dwellers especially the bottom of the pyramid. The outcome of the study point to the need to continuously review such costs and institute mitigants to reduce *boda boda* fatalities and injuries through various interventions but more importantly underpins the need to establish the true delivered of boda boda accidents to their victims. The study findings are relevant since they provide an assessment of not only economic but social costs associated with motorbike accidents. The study provides strategies that are informed by empirical and secondary evidence in Uganda's context and from international experiences. These are necessary for Uganda that seeks to create 9 cities and other countries are envision not at transforming their cities into smart cities but transiting existing municipal authorities into cities and gradually into smart cities.

Keywords Socio-economic costs, Crash severity, Casualty severity, Motorbike (boda boda), Smart city

1. Introduction

Smart city status remains a pursued destiny for most governments across the world. Getting to such status is usually confronted from various dimensions; smart health, smart transport, smart education, smart agriculture, smart commerce, smart public service delivery, smart technology and so much more (Casado & Ureba, 2017; Ahmed, et al., 2017; Gharaibeh, et al., 2017; McClellan, et al., 2017; Walter, et al., 2017; Jukan, et al., 2017).

It is argued that more than a half of the World's population now lives in urban areas (Dirks, et al., 2010; Dirks, & Keeling, 2009; Dirks, et al., & Keeling, 2010). The fraction of national populations in cities is likely to continue

increasing in the years to come (Kin, et al., 2017). Urban centres and cities come along with opportunities and challenges. While cities exist, governments world over are struggling with the challenge of transition cities into smart cities. Understanding this challenge requires deeper understanding of a smart city. World Bank (2000) forecasts that by 2025, two thirds of the world population will be living in urban areas (World Bank, 2000). Escalated urbanization changes are and will continue to occur in cities, the heart of developing nations in Africa. East Africa and Uganda are not an exception as they lie in this block. This growth comes along with increased mobility into and within cities that are in transition to becoming smart cities. Various modes of transport are adopted to improve mobility in cities. Air transport has been popular amongst nations with significant levels of urbanization such as in the Europe among countries such United Kingdom, USA, France, Canada, Germany and among the BRICS. In Africa, South Africa, Nigeria, Ghana and Kenya exists significant levels of air transport adoption in connecting cities. France, United

* Corresponding author:

nduhuraa@gmail.com (Alex Nduhura)

Published online at <http://journal.sapub.org/logistics>

Copyright © 2019 The Author(s). Published by Scientific & Academic Publishing

This work is licensed under the Creative Commons Attribution International

License (CC BY). <http://creativecommons.org/licenses/by/4.0/>

Kingdom, United Arab Emirates and Nordic countries have promoted rail transport. In East Africa, developments such as the regional standard gauge railway manifests recognition of the value that rail transport in developing economies. Water transport has been popular in the global commercial world in transiting containerized cargo shipments and to a small extent promotion of tourism. In Africa and Asia, water transport has helped citizens connect to markets, health care facilities and schools where road infrastructure is either poor or lacking. On the other hand, in the greater parts of Asia and developing countries in Africa, motorized tricycles have been promoted. In India, Bangladesh, Thailand, Kenya, Burundi, and Pakistan motorized tricycles are popular in transiting dwellers in cities. While other modes such as cycling, pipeline have been to some extent limited, new modes of transport are increasingly becoming popular.

In Uganda and within most parts of Kampala Metropolitan Area, conventional transport modes have been used since the colonial period. However, the introduction of two wheeled motorbike transport has over the last three decades become an increasingly popular mode of transport in the city.

The mode has been popular due to flexibility and speed in a city popularized by traffic jams.

Origin of Boda Transport

The origins of boda boda transport is traceable in the locus of commerce. This mode of transport was locally named “**mwanyizabala**” after traders in coffee that manifested a boom in sales around early and mid-1990s. After selling off their yield, traders went to procure motorbikes (boda boda) as a sign of achievement and for ease of transport of their coffee. Over the years, from movement of coffee the boda as commonly called has become a popular means of transport not only for cargo but also for passengers. On the other hand, another school of thought provides trace for the origin of the boda boda from tax evasion perspective. It is argued that bicycles over years had been used to transport illegal items across Uganda - Kenya boarder points especially. To evade tax with ease it is found that by shifting from use of bicycles to use of bodas, more cargo and speed advantages would occur to the tax evaders in the early 1990s. While these views provide varying motivations for the introduction of boda boda transport, they share in the purpose of the boda boda. Both views point to increased flexibility, speed and mobility as a key motivation for the introduction of such transport.

On the large, this mode of transport has been grossly welcomed as it offers flexibility, jobs for unemployed youth, reduced time spent in traffic jam, connection to inaccessible areas marred by severe infrastructural deficiencies. Such benefits have been short lived as the boda boda mode has now become a tyrant in the city, a hiccup facing a city in transition to become a smart city. Boda Bodas (motorbike) riders have turned unruly as they do not respect traffic lights and rules, over speed, caused accidents that have resulted into deaths, permanent body injuries. They are alleged to be deeply involved in crimes such as theft and murders. By causing death, and permanent body injuries boda bodas

could be contributing to increase of poverty and increasing unplanned settlements in the city, a backdrop to the journey of Kampala towards becoming a smart city.

Giffinger, et al., (2007) define a smart city as;

‘A city well performing in a forward-looking way in economy, people, governance, mobility, environment, and living, built on the smart combination of endowments and activities of self-decisive, independent and aware citizens.’

While cities must be forward looking, and provide opportunity for everyone, constraints impede such assertions. One of such includes the constraints to mobility and constrained livelihoods due to traffic congestion, cost of living and unascertained costs transferred to city dwellers by other dwellers. In Uganda, Kampala like any other upcoming smart city faces similar challenges.

Elsewhere including Uganda (Vision, 2040) governments are focusing on smart transport strategies that are aimed at transitioning the bulge of populations that are usually below the poverty line to middle income status. This has been done through initiating policies that have enabling development of tarmac coverage of roads (kms) and supporting the introduction of affordable transport modes such as cycling and motorbike (*boda boda*) options to for citizens that constitute the bottom of the pyramid. In Uganda, motorbike transport has been promoted since the early 1990s and continues to remain a key form of flexible and flexible transport mode in urban centres.

Despite the benefits of *boda boda* transport, this mode of transport continues to be the most perceived as dangerous means of road transport in Uganda. Broadly, road transport has always been promoted a means of preferred choice in cities and urban centers, this means of transport remains traumatic. Peden, Scurfield, Sleet, Jyder, Jarawan, & Mathers, 2004; World Health Organization, 2004) predict that road traffic injuries (RTI) have been predicted to become the third leading cause of disability-adjusted-life years lost worldwide by 2020.

It is further argued that rapid growth in motor vehicle numbers will result into an increase in RTI in low and middle income countries of the world (WHO, 2004). As numbers increase, enforcement of traffic safety regulations and public health infrastructure is inadequate in these countries (Nantulya & Reich, 2002; WHO, 2004; Ameratunga, Hyder & Norton, 2006).

Although road traffic injuries affect all age groups, their impact is most striking among the young (Kobusingye, Guwatude, Owor & Lett, 2002). As such, the sudden termination of their lives would cause displacement of these families and their futures devastated, resulting into social welfare problems. Domestic production and the economy at large will be affected due to lost productivity. It is therefore, evident that reducing crashes on economic grounds alone can be justified, as there is a significant impact on the financial resources that the countries concerned can ill-afford to lose.

Over the past two and half decades, Uganda Government

has registered a remarkable growth in her economic development (World Bank, 2016). This has resulted into a change in the modes of transport. Among this changes has come Uganda's popular 'boda boda' motorbike transport mode. Such changes have occurred majorly in Kampala, Uganda's capital city. Uganda Bureau of Statistics reveals that 60% of Uganda's GDP is produced in Kampala (UBOS, 2014). Based on this development, plans are underway to turn Kampala city into a smart city (KCCA, 2015). Plan, while creating other nine other cities and transforming Kampala city into a regional city. This will include; five regional cities; Gulu, Kampala, Mbale, Kampala, Mbarara, and Arua) and five strategic cities; Hoima, Nakasongola, Fort portal, Moroto, and Jinja, (Uganda Vision, 2040). Underlying these developments is the accommodation and expansion of transport modes aimed at increasing mobility

and safety of road user in Kampala including transport investments of the bottom of the pyramid, boda boda cyclists.

The 'Boda Boda' opportunity and Challenge

Motorcycles (*boda bodas*) have become an important novelty in mobility development that largely appears to benefit low-income users in Uganda and the Greater Kampala Metropolitan Area (GKMA) in particular. Accordingly, there has been unprecedented growth in the population of motorcycles within Kampala. Records by Kampala Capital City Authority reveal that in Kampala alone, indicate that 100,000 *boda bodas* operate in the city. Alongside this growth, the number of accidents involving motorcycles as a proportion of all the accidents in GKMA is increasing (Table 1).

Table 1. Motorcycle Road Crashes and Casualties (2007 - 2009)

Year	Total general accidents in GKMA	Motorcycle accidents in GKMA					
		Accidents involving M/Cycles in GKMA	No. of persons killed in M/Cycle crashes in GKMA				
			Riders	Pedal cyclist	Passengers	Pedestrians	Total
2007	17,428	2,842 (16.3%)	72	25	56	187	340
2008	18,250	3,060 (16.7%)	87	27	93	202	409
2009	19,372	3,979 (20.5%)	136	41	98	320	595

Source: Annual Traffic and Road Safety Reports, Uganda Police

Over 3,000 motorcycle crashes (about 20% in 2009) occurred in Kampala alone, with at least one person being killed in such crashes per day. Remarkably, more than 75% of the casualties are economically productive young adults.

Table 2. Deaths due to boda boda accidents (2014-2016) in Uganda

Deaths/Years	2014	2015	2016
Deaths	2,057	2,386	2,554
Increase in Deaths		329	168
% Increase in Annual Deaths		15%	7%

Source: Uganda Police Traffic Report 2017

Recent statistics reveal that 7000 deaths were due to boda boda accidents were recorded in the last three years (2014-2016). While Uganda witnessed a decline by approximately 8 percent of deaths due to *boda boda* accidents, and extra 168 persons died due to *boda boda* accidents from 2386 in 2015 to 2,554 persons.

Table 3. Description of deaths due to boda boda accidents (2014-2016) in Uganda

Deaths/Years	2014	2015	2016	Total Deaths
Boda Boda Riders	621	731	791	
Passengers	274	344	379	
Pedestrians	1,162	1,311	1,384	
Total deaths	2,057	2,386	2,554	7,000

Source: Uganda Police Traffic Report 2017

Based on statistics provided in table 1, table 2 and table 3, it is evident that deaths caused by boda have increased by 1076.47 from the year 2007 to 2016. This makes boda boda accidents as the highest contributor to road accidents in the city and Uganda as a whole.

While the adversity of this trend is acknowledged by a wide spectrum of stakeholders, interventions developed are erratic, uncoordinated, politicized and ineffective. For instance, there are no systematic and sustainable initiatives on road safety in GKMA. The institutional framework for road safety is uncoordinated and has operational inefficiencies. The available road infrastructure in GKMA lacks the minimum road safety standards such licensed motorbike training schools, dedicated lanes for riders, weight loading and speed limits, perhaps contributing to impact of the boda bodas as tyrants of the city. Moreover, most of the motorcyclists are unqualified and inexperienced, resulting in a higher risk of being involved in an injury and fatal accident.

Besides, GKMA has no established, dedicated and sustainable emergency rescue units to deal with RTA victims other than the general-purpose ambulances belonging to hospitals and private clinics. It is probable that the current situation is due to lack of cost data on the magnitude of the problem. This presents a challenge in respect to making informed decisions about allocation of the scarce resources and formulation of policy options in important ways. The risk would be lower but occurrence of such events in Uganda's only city puts the lives of citizens at huge. This trend needs to be reversed to avoid a 'war on roads'.

A war on roads is defined as a situation where roads users deny others the use of roads.

In this context, if this trend is not reversed, a road users strike against *boda boda* riders is eminent.

This study aims at estimating the socio-economic costs due to motorcycle crashes in GKMA so as to inform policy makers and urban transport planners to incorporate safety measures as well as design policy options to reduce these costs.

2. Methodology

This study was restricted to city and in particular Greater Kampala Metropolitan Area (GKMA), The GKMA is the largest single production centre of Uganda. It is the centre for industry, commerce and services, presenting high traffic congestion and serious road safety concerns. Nsambya one of the major hospitals that is registered as a private not for profit hospital – is selected as a case study. The hospital is selected for its good record of patient records compared to government hospitals that have been alleged to have fractured record systems. The hospital provides uniqueness as has rare features such as being a hospital where all services relating to medical and hospital care are purely borne by the patient. This was important in generating an approximate medical and hospital cost estimate due to motorcycle crashes. Besides, it is a tertiary referral hospital with a capacity of 361 beds. It is involved in patient care, research and teaching and offers specialist services in Surgery, Internal Medicine, Pediatrics and Obstetrics and Gynecology.

In this study, the population consisted of all the motorcycle crash victims (both outpatient and inpatient) that reported to Nsambya hospital during the period June to September, 2011. The victim was deemed to have been involved in a motorcycle crash if he/she was a pillion passenger, a rider or was hit by a motorcycle (as a pedestrian, pedal cyclist or car occupant). A total of 237 RTA victims reported at Nsambya Hospital during the study period. 79% (187 cases) of these cases were due to RTA involving a motorcycle (*boda boda*). Determination of a representative sample size was based on the average monthly motorcycle crash patients that had attended the emergency unit at the hospital in the previous 5 months prior to the study. A sample size of 113 cases out of a target population of 207 patients was selected. A hospital survey was conducted in order to investigate the socio-economic costs of motorcycle crashes with motorcycle accident victims and was preferred based on the fact that it permits a concentration of accident victims, thereby allowing low-cost data capture.

The study was guided by the following objectives; SO1: To identify the costs associated with motorcycle (*boda boda*) road crashes and casualties and SO2: To explore strategies that should be implemented to reduce costs associated with motorcycle (*boda boda*) road crashes and casualties.

Crash and casualty severity

All motorcycle crash data recorded by the police in Kampala Metropolitan district for the period 2007-2009 and 2014 to 2016 was reviewed to document the total number of motorcycles involved in each category of crash severity (fatal, serious and minor injury). The period 2010 to 2013 due to lack of data. In this study, crash severity was determined by dividing the number of motorcycles involved in RTAs by the number of motorcycle crashes by severity. Over the six months, police records indicated that there were 2,913 casualties of which 6.4% (186) were fatalities while 55.6% (1,621) were seriously injured. Besides, 38% (1,106) received minor injuries. Casualty severity was determined by dividing the total of number of casualties as a result of motorcycle crashes by the total number of crashes by severity.

Socioeconomic Costs

A hospital survey was conducted in order to investigate the socio-economic costs of motorcycle crashes with motorcycle accident victims. Estimation of the costs due to motorcycle/*boda boda* crashes was based on the Human Capital Method/Gross output (Babtie Ross & Silcock, 2003 & Transport Research Laboratory [TRL], 2003). This study focused on the economic costs of motorcycle road crashes as well as an estimate of the sum that reflects the pain, grief and suffering incurred by the victims and their families from a societal outlook. This approach is recommended by Kumaranayake, Pepperall, Goodman, Mills, & Walker (2000). The assumption was that the value to society of avoiding a death or injury is related to the potentially high in terms of economic output and resources.

The cost of road traffic injuries is composed of two major parts: direct and indirect costs (Kobelt, 2002). In this study, direct costs were categorized into medical and non-medical costs while indirect costs were categorized as lost output due to absence from work as a result of injury or disability and lost output due to premature death, human costs, administrative costs as well as costs due to vehicle damage.

Direct costs

Medical and non-medical costs

In this study, hospital/medical costs referred only to health-care-related costs directly spent for impediment, detection, and treatment of the patient. A hospital survey was carried out in which patients or their caregivers were interviewed to make a self-report about the hospital and medical cost. This information was verified in the Accounts section by extracting the corresponding patients' total hospital and medical bill based on the level of injury severity – Abbreviated Injury Scale (AIS). The non-medical costs constituted the sum of food costs, travel costs, and nursing care costs. In order to capture resource use (non-medical costs) that was likely to vary from patient to patient and that seemed difficult to extract from existing data sources, only self-report measures were done for both the patient as well as caregivers.

Indirect costs

Lost output

The lost output of the injured person or caregiver referred to the present value of lost wages of the victim or caregiver over the period of illness and was computed by multiplying the number of lost working days for those with serious, minor injuries or caregiver, with their average daily wage. The average daily wage was used because most of the patients were unskilled workers and there were no statistics on the average income of road fatalities in Uganda. Use of the average daily wage has been applied in other studies related to the cost of road traffic accidents (Pornlertwadee, 2002, Riewpaiboon, Piyathakit & Chaikledkaew, 2008). The lost output in case of death referred to the present value of lost wages of the victim from the time of death to retirement (60 years in Uganda). Using a discount rate of 14% (BOU, 2011), the lost labor output of fatalities was computed using the cumulative present values of the assumed wages of the deducted lost economic years of the fatalities until the age of 60 years. This study did not record any permanent disabilities.

Human costs

Pain, grief and suffering were derived as a percentage of lost output cost. In TRL (1995), it is suggested that the following values are used: 28% of total lost income for fatal accident; 50% of total lost income for serious injury accident and 8% of total lost income for minor injury accident.

Administrative costs

This study adopted the TRL (1995) recommendation for costing administration activities in a crash for developing countries as:

Total resource cost = (lost output + medical cost + vehicle damage)

Fatal Accident - 0.2% of total resource cost

Serious Injury Accident - 4.0% of total resource cost

Minor Injury Accident - 14 % of total resource cost

PDO Accident - 10 % of total resource cost

Vehicle damage

The costs associated with vehicle damage were calculated as the average cost of motorcycle repairs multiplied by the average number of vehicles involved/damaged in crashes by severity. While vehicle damage is usually extended to damage to include external objects like traffic signals, lamp posts, and buildings, in this study the definition is constrained by limits of data on constructs of the extended definition of vehicle damage.

3. Findings

Age

The average age of fatalities was 30.17 years. The fatalities died within a period of 30 days from the date of the accident. The average age of the victims with minor or serious injuries was 31.37 years. There is a substantial

over-representation (75.9%, n = 108) of the economically active age range of 20 - 49 years. The majority of the victims (37.9%) were in the 20 - 29 age range. The over-representation of the economically active and productive age group provides the need for local authorities such as Kampala Capital City Authority to pay particular attention to them.

Income

The majority of the victims (36.1%) earned between UGX 20,000 and UGX 30,000 per day. There was underrepresentation of victims earning above UGX 50,000 daily (only 2.8%). The average daily income of motorcycle road crash victims with serious and minor injuries was UGX 26,081 (about \$9.3) and UGX 29,068 (about \$10.4) respectively. The average daily income of fatalities was UGX 27,500 (about \$9.8). This income level is above Uganda's national average income per capita of \$400 (about UGX 3,075 daily). This study was carried out in Kampala, the largest single production centre in Uganda and therefore such incomes would be expected. It is also probable that poorer crash victims may fail to afford and report to this hospital where there are no subsidies as is the case in a Government hospital such as Mulago. With such income level, absence from work and or the family can have far-reaching effects, well beyond the immediate costs of the treatment which may be needed and other monetary costs of the accident.

Crash Severity

Basing on the number of motorcycles involved in RTAs and number of crashes involving motorcycles, the average number of motorcycles involved in each crash (crash severity) was determined (Table 4).

Table 4. Average number of motorcycles involved per crash severity

Crash severity	Total No. of crashes	Total No. of M/C involved	Average No. of M/C involved per crash
Fatal	128	137	1
Serious	807	1,020	1
Minor	764	858	1

Source: Police records at Central Police Station - Kampala

On average, 1 motorcycle was involved in a fatal crash while 1.264 motorcycles were involved in a serious crash and 1 motorcycle in a minor crash.

Casualty severity

Over the six months, there were 2,913 casualties of which 186 (6.4%) were fatalities while 1,621 (55.6%) were seriously injured (327 victims in fatal crashes and 1,294 victims in serious crashes). Besides, 1,106 (38%) received minor injuries (61 victims in fatal crashes, 99 victims in serious crashes and 946 in minor crashes). Based on the number of motorcycles involved in RTAs and number of casualties involved in motorcycle crashes, the average number of casualties per crash (casualty severity) was determined (Table 3).

On average, 1 person is killed in every fatal crash, while 2 persons are seriously injured. The probability of exposure to minor injuries stood at 0.477 in a fatal accident. For a serious accident, on average, 1 person is seriously injured while probability getting minor by persons was minimal in a minor crashes.

Table 5. Average number of casualties per crash severity Average number casualties per crash by severity

Fatalities	Serious injury		Minor injury
Fatal accidents	1.453	2.555	0.477
Serious accidents		1.607	0.123
Minor accidents			1.238

Source: Police records at Central Police Station - Kampala

Social Economic costs

Direct costs

Non-medical costs

Direct non-medical costs were derived from interviews conducted with the patients or their caregivers. They included costs related to non-medical procedures such as

travel. Other costs included; food, laundry, accommodation, and informal care or care by relatives.

The results (Table 6) indicate an average of UGX 109,169 for fatal injury while an average of UGX 138,449 was computed for serious injury. UGX 7,484 was computed as the average non-medical cost for minor injury.

Table 6. Average non-medical cost per casualty

Nature of Injuries	Cost
Fatal injuries	109,169
Serious injuries	138,449
Minor injuries	7,484

Source: Primary Data (2018)

In order to determine the total non-medical cost per crash, non-medical cost estimate per casualty (Table 6) was multiplied by the respective number of casualties per crash (Table 4). The computation (Table 5) produced the average non-medical costs of UGX 514,662 for a fatal crash while the average non-medical cost for a serious injury crash is UGX 223,409. For a minor crash, the average non-medical cost is UGX 9,265.

Table 7. Average non-medical costs per crash per casualty non-medical cost

Per casualty non-medical cost UGX		Crash severity					
		Fatal		Serious		Minor	
		Casualties per crash	Total cost UGX	Casualties per crash	Total cost UGX	Casualties per crash	Total cost UGX
Fatal	109,169	1.453	158,623				
Serious	138,449	2.55	353,045	1.607	222,488		
Minor	7,484	0.4	2,994	0.123	921	1.238	9,265
Total			514,662		223,409		9,265

Source: Primary Data (2018)

Medical costs

Medical and hospital costs were derived from the patients in comparison with the actual payments made from Accounts. The costs were composed of material, labor, and capital costs for patient care and supporting departments. The calculation (Table 6) produced an average of UGX 519,854 for fatal injury while an average of UGX 728,679 was computed for serious injury. This computation included cost items such as X-rays, abdominal scans, hospital charges (bed, food), intra-medullar implants, medicines, consultancy fees and sometimes ambulance fees among others. UGX 32,540 was computed as the average medical cost for minor injury,

which includes emergency room treatment (tetanus vaccination, first aid), consultancy fees and ambulance service among others.

Table 8. Computation of Hospital and Medical costs per casualty Nature of Injuries

Nature of Injuries	Cost
Fatal injuries (AIS – 5, AIS – 6)	519,854
Serious injuries (AIS – 3, AIS – 4)	728,679
Minor injuries (AIS – 1, AIS – 2)	32,540

Source: Primary Data (2018)

Table 9. Average medical costs per crash

Per casualty non-medical cost UGX		Crash severity					
		Fatal		Serious		Minor	
		Casualties per crash	Total cost UGX	Casualties per crash	Total cost UGX	Casualties per crash	Total cost UGX
Fatal	519,854	1.453	755,348				
Serious	728,679	2.55	1,858,131	1.607	1,170,987		
Minor	32,540	0.4	13,016	0.123	4,002	1.238	40,285
Total			2,626,495		1,174,989		40,285

Source: Primary Data (2018)

In order to determine the total hospital and medical cost per crash, the medical cost estimate per casualty (Table 8) was multiplied by the respective number of casualties per crash (Table 3). The computation (Table 8) produced an average medical and hospital cost per crash of UGX 2,626,495 for a fatal crash while the average medical and hospital cost for a serious injury crash is UGX 1,174,989. For a minor crash, the average medical and hospital cost is UGX 40,285.

Indirect costs

a. Labor Lost output costs

The average daily income for fatalities was used to compute the assumed annual wages of UGX 9,900,000. Average daily income is computed as follows UGX27,500(Average income for Uganda) * 365 (days in a year). To compute the lost labor output of fatalities we adopt discount rate of 14% by Central Bank of Uganda-BOU (2011). In the study we also base on cumulative present values of the assumed wages of the deducted lost economic years of the fatalities. The computed lost output of the fatalities is finally arrived at as being UGX 69,326,375. We find out that fatal cases had 2 days lost prior to decease resulting in lost output of UGX 78,908. The two computations produced a total lost labor output of fatalities of UGX 69,405,283.

The lost output of injured person and caregiver was computed by multiplying the number of lost working days for those with serious or minor injuries and caregiver, with their average daily wage. The minimum daily wage was used because most of the patients were unskilled workers and there was no statistics on the average income of road fatalities in Uganda. Use of the average daily wage has been applied in other studies related to the cost of road traffic

accidents (Pornlertwadee, 2002, Riewpaiboon et al, 2008). The average lost output (Table 8) per a seriously injured victim is UGX 238,902, UGX 39,532 per a slightly injured victim while it is and UGX 166,941 per caregiver.

Table 10. Lost output of victims and their caregivers No. of days receiving treatment/giving care

Nature of Injury	Average number of persons injured	Average wages	Lost output per casualty
Serious injury	9.16	26,081	238,902
Minor injury	1.36	29,068	39,532
Caregiver	9.16	18,225	166,941

Source: Primary Data (2018)

In order to determine the total lost output per crash, the lost output per casualty was multiplied by the respective number of casualties per crash. In the computation, the lost output for caregivers was added to the lost output for the victims who were seriously injured.

The computed average lost output for a fatal crash is UGX 101,896,588, UGX 657,052 for a serious injury crash and UGX 48,941 for a minor crash.

b. Human cost

Pain, grief and suffering cost category

Pain, grief and suffering were derived as a percentage of lost output cost, as shown in TRL (1995) as; 28% for fatal accident; 50% for serious injury accident and 8% for minor injury accident. Earlier computations produced the cost estimate of pain, grief and suffering for a fatal, serious and minor crash as UGX 19,433,479, UGX 202,922 and UGX 3,163, respectively.

Table 11. Average lost output per crash

Per casualty non-medical cost UGX		Crash severity					
		Fatal		Serious		Minor	
		Casualties per crash	Total cost UGX	Casualties per crash	Total cost UGX	Casualties per crash	Total cost UGX
Fatal	69,405,283	1.453	100,845,876				
Serious	405,843*	2.55	1,034,900	1.607	652,190		
Minor	39,532	0.4	15,812	0.123	4,862	1.238	48,941
Total			101,896,588		657,052		48,941

* The sum of lost output for serious injury and caregiver
Source: Primary Data (2018)

Table 12. Cost estimate of pain, grief and suffering

Per casualty non-medical cost UGX		Crash severity					
		Fatal		Serious		Minor	
		% of lost income	Total cost UGX	Casualties per crash	Total cost UGX	Casualties per crash	Total cost UGX
Fatal	69,405,283	0.28	19,433,479				
Serious	405,843*			.50	202,922		
Minor	39,532					0.08	3,163
Total			19,433,479		202,922		3,163

Source: Primary Data (2018)

c. Vehicle damage

Vehicle damage costs were derived from a survey of informal “shade tree” mechanics providing motorcycle repair services. They included costs related to spare parts and labour. The respondents however expressed some difficulties in giving the cost of repair because they were not aware whether they were repairing a motorcycle involved in a fatal, serious, or minor crash. Table 13 presents the average cost estimate of motorcycle repair by severity.

Table 13. Average cost of motorcycle repair

Nature of damage	Cost
Fatal crash	500,000
Serious injury crash	150,000
Minor injury crash	25,000

Source: Primary Data (2018)

The results indicate an average of UGX 500,000 for repair of motorcycle involved in a fatal, UGX 150,000 serious injury crash and UGX 25,000 for minor injury crash.

In order to determine the average vehicle damage cost per crash, the average repair cost estimate was multiplied by the respective adjustment factor and the number of motorcycles per crash. This study assumed that the average number of

motorcycles damaged in each crash severity was the same as the average number of motorcycles involved in each crash severity. The computation produced the cost estimate for vehicle damage in a fatal crash as UGX 829,250, UGX 265,440 for a serious injury crash and UGX 35,094 for a minor crash.

d. Administration

In TRL (1995), puts 0.2% as the cost of administration activities for a fatal accident, 4.0% for a serious injury accident, 14% for a minor injury accident and 10% for PDO accident, putting into consideration that Total resource cost = (lost output + medical cost + vehicle damage). The computation (Table 13) produced the cost estimate for administration in a fatal crash as UGX 210,705, UGX 83,899 for a serious injury crash and UGX 17,405 for a minor crash.

Summary of the socioeconomic costs

Table 15 summarizes the associated socioeconomic costs/burden of crashes involving motorcycles and indicates the overall average cost estimate per crash by severity. The average socioeconomic cost of a fatal, serious and minor motorcycle crash is estimated at UGX 125,511,179 (about \$44,730), UGX 2,607,711 (about \$929) and UGX 154,153 (about \$55), respectively.

Table 14. Average vehicle damage cost per crash

	Per motorcycle repair cost (UGX)	Adjustment factor	No. of Motorcycles damaged per crash	Average Vehicle damage cost (UGX)
Fatal	500,000	1.55	1.070	829,250
Serious	150,000	1.40	1.264	265,440
Minor	25,000	1.25	1.123	35,094

Source: Primary Data (2018)

Table 15. Computation of administrative costs per crash severity

	Medical cost	Lost output	Vehicle damage	Total resource cost	% of Total Resource cost	Administration costs
Fatal	2,626,495	101,896,588	829,250	105,352,333	0.2%	210,705
Serious	1,174,989	657,052	265,440	2,097,481	4%	83,899
Minor	40,285	48,941	35,094	124,320	14%	17,405

Table 16. Summary of the socioeconomic costs of motorcycle accidents

	Fatal (UGX)	Serious injury (UGX)	Minor injury (UGX)
A. Direct Cost			
Direct Medical cost	2,626,495	1,174,989	40,285
Non-medical cost	514,662	223,409	9,265
Sub Total	3,141,157	1,398,398	49,550
B. Indirect Cost			
Lost output	101,896,588	657,052	48,941
Human cost	19,433,479	202,922	3,163
Administrative	210,705	83,899	17,405
Vehicle damage	829,250	265,440	35,094
Sub Total	122,370,022	1,209,313	104,603
Grand Total (%)	125,511,179	2,607,711	154,153

Source: Primary Data (2018)

Table 16, highlights socio economic costs that have been caused by motorcycle (boda boda) accidents. The table provides both direct and indirect costs associated with the boda boda transport. From this analysis, by only reviewing direct costs, policy makers in transport miss out the relevant costs that should form a base for debating and deciding boda boda transport related decisions especially in the city and upcoming cities.

4. Discussion of Findings

This study reveals that in a fatal motorcycle crash, 81.2% (UGX 101,896,588) of the cost estimate are due to indirect costs as a result of loss of income due to fatalities. Earlier studies by De Leon *et al* (2005) had discovered that 73% of the costs in fatal crashes are due to lost income as a result of fatalities and permanent disabilities. The higher percentage in this study can be explained by the fact that there were no permanent disabilities. However, the result that the indirect costs were higher than the direct costs is consistent with that of other illnesses (Al-Masaeid, Al-Mashakbeh and Qudah, 1999; Garcia-Altes and Perez, 2007; Miller and Blewden, 2001; Pitagpravej, 1997; Riewpaiboon *et al*, 2008; Sumiratana, 1998; Suwanrada, 2005). It can be further explained that the higher percentage of indirect costs is attributed to a higher proportion of young and energetic people involved in motorcycle accidents. As a result longer periods of productivity are lost, which negatively impacts on their dependents and the economy as a whole.

In this study, the highest proportion of the total cost estimate for serious injury crashes are direct medical costs, comprising 45.1% of the total cost estimate for serious injury crashes. Similar studies have also determined a higher cost estimate for direct medical cost of serious injuries (De Leon, Cal, and Sigua 2005; Riewpaiboon *et al*, 2008). This high proportion can be explained by the fact that there were no permanently disabled persons due to motorcycle crashes in this study, hence the small proportion of indirect costs. The majority of the patients (61.5%) were out-patients with minor injuries. It is worth noting that Nsambya Hospital is purely private with no subsidies for patients and it is a lower referral hospital, compared to Mulago hospital, a Government facility also found in the study area. It is therefore highly probable that the medical cost of injuries is even higher than what is presented in this study, premised on the possibility that more severely injured victims could have opted for Mulago Hospital, a national referral hospital which can manage more complex cases. Besides, this study did not make any follow-up with patients to determine further costs on rehabilitation and recovery. It is likely the medical cost could be much higher (Maraste, Persson & Berntman, 2003).

Conversely, it can be seen that the cost due to lost output again constitutes the highest proportion (31.7%) of the cost acquired from minor injury crashes. This is closely followed by medical cost (26.1%). This high proportion can be explained by the fact that there is a higher proportion of

patients earning a daily wage that could be lost due to the morbidity absence period.

Whereas the proportion of administrative cost is low compared to the other cost components, its significance clearly indicates the resources that police and other agencies would require to perform their duties properly. It is expected that incorrect statistics or under-reporting would result in absence of these resources which impacts policy and strategy formulation on road safety.

5. Conclusions

This study has demonstrated the need to reduce motorcycle crashes in order to lessen the associated socio-economic costs. The number of motorcycle crashes and motorcycles involved in these crashes is reasonably high even with cases of non-reporting, mis-recording and under-recording. This is a pointer to concerned local authorities to design further efforts to reduce crash risk through enhanced planning of the area and the provision of good transport infrastructure and facilities. Reduction of the crash rates will lead to improved quality of life for the susceptible road users and unlimited benefits to the people in the GKMA.

The findings of this study further indicate that majority of the victims (75.9%) were in the age range of 20-49, representing an economically productive age group. This situation provides the need for local authorities such as KCCA to pay particular attention to them and the efforts in terms of policy and planning should be directed at such cases, in order to curb the casualty rates that could result into significant individual, family and societal costs.

As Uganda seeks to establish 9 more cities by 2040 (Uganda Vision, 2040) and transform the current city into a regional city. In pursuit of this great dream, major constraints exist-the *boda boda* challenge and the inevitable costs of its existence to the city and urban dweller. The most affected have been the poor people that this study conceptualizes as the bottom of the pyramid. Making cities a place for everyone, will require several initiatives.

Addressing this challenge is critical for improving wellbeing of the current city dweller in and dwellers in other cities to come. It is important that this challenge be sorted before rolling out of other cities as it is envisaged in Uganda Vision 2040. This view is informed by this study. The study has demonstrated the importance of estimating crash costs particularly in a densely populated area like GKMA. The findings of this study led the researchers to conclude that accidents involving motorcycles are a major cause of fatality and injury and result in significant social and economic costs in GKMA. These costs and inconveniences to dwellers in Kampala city is unaffordable and expensive for dwellers top settle in especially those below poverty line (pedestrians and riders) that we conceptualize as the bottom of the pyramid. The high costs and inconvenience created by diversity of mobility option with the introduction of boda transport

appear unsustainable for city dwellers and more so at a time when Uganda is preparing to create more cities.

Implications for Smart City Policy Makers

Addressing the boda challenge requires well thought strategy in the journey to create smart cities and transit municipalities into cities as well. While the costs have been established, there is need for strategy to manage the *boda boda* challenge into to develop cities that are for everyone. This is in line with views by other scholars on smart cities

“cities are people’s future, places where tomorrow’s civilizations are built.”

Erik Orsenna

Critical strategies that need to be implemented include; Effective implementation of road safety strategies are essential in reducing crash and casualty severity and this can result in significant reduction in the associated socio-economic burden.

There is need to design roads with specific lanes for *boda boda* riders. This will help to reduce unnecessary traffic caused by congestion exposing pedestrians and passengers on bikes to accidents (Patrick, 1993).

There is need to establish sidewalks for pedestrians and specific cycling specific lanes for *boda boda* riders. In addition, restricted exclusive lanes in cities for buses and small utility vehicles (SUVs) taxis should be incorporated in design of roads in cities and urban centres. This is part of require improving design of the urban environment. It is argued that the Dutch and Scandinavians have created urban environments with cycle ways, play spaces, shops, and green belts with ease of access to residential areas (Patrick, 1993; Mohan, 1989). Mohan (1989) argues that China provides good example of traffic separation where it is argued that almost half of the road surface in cities is reserved for cyclists and pedestrians (Mohan, 1989).

In Marseille, France similar urban design has been implemented. Such reduces exposure to fatalities and accidents.

Gradual phasing out of sole passenger bikes and encouraging the adoption of commercial smart bike sharing models (Midgley, 2009). This is in line with evidence of successful similar model adoption in UK, India, USA (DeMaio, 2003; DeMaio, 2004). It is argued that bike sharing helps to reduce accidents as commercial *boda boda* riders are likely to ride within appropriate speed limits as they are guaranteed extended revenue per ride when smart bike sharing models are adopted. Benchmarking visits should be explored by urban authority officials to countries like UK, USA, India and others.

Establish licensing rider training schools for motorbike riders with and established national curriculum for motorbike training. This is likely to increase rider awareness of road signs and respect of traffic rules. This practice has been implemented in Rwanda, making the *boda boda* riders more sensitive to road safety signs, compliance with wearing of helmet by the *boda boda* riders and passengers. Such

initiative will not only reduce not only the chances of injury and fatalities on riders but also passengers and pedestrians when drivers comply with road safety requirements.

In Uganda, safe boda initiative through a smart phone app has been launched. Like UBER, the app allows motorbike passengers to book online their travel over motorbikes. The initiative has involved training of participating *boda boda* riders on road, passenger safety, customer care and the broader Traffic and Road Safety Act of Uganda and defensive driving.

Promote entrepreneurial, progressive and intelligent in urban setups. Government and local authorities need to partner and promote innovative road safety initiatives by motorists, and support firms such entrepreneurial models possess significant growth potential such as Safe Boda. For instance Safe Boda partners with the Ministry of Health to give all our drivers first responder training to enable them extend help to the community around them. Under such initiative riders are trained in customer service so that our customers always have an amazing experience. Riders are also given basic training on how to maintain their bikes in good condition to ensure safety on the road. Such initiatives should be supported by government of Uganda and replicated through attracting potential investors in such an industry by local authorities at Municipality, City and urban Centre governance levels.

To reduce the *boda boda* challenge requires that city authorities explore other alternative to motorbike transport. And integrated system with trains, trolleys and buses. However, standard of service should be reliable and costs should be affordable to city dwellers. This view is supported by Lowe (1990) who argues that these have constituted smart transport alternative in cities such as Paris, Toronto and others. This will reduce pedestrians’ exposure to unsafe *boda boda*.

There is need to return streets to the people by building diversity into road design and use. Zoning off some parts of the city to motorists can help reduce exposure to accidents by motorists. Such initiatives have been implemented in City of Kigali, Rwanda. Beyond reducing exposure to accidents by *boda boda* travel, such initiative promote wellbeing of city dwellers as walking to and from work within zoned off areas provides some physical exercise opportunity that would have otherwise been missed. This view is supported by Tiwari (2002), Thynell et al. (2010) and Jain & Moraglio (2014) that suggest that to reduce the war on roads, there is need to have urban streets returned to the people, pedestrians.

Charging riders who breach traffic rules with instant fines may help to solve the *boda boda* challenge. This requires that all motorbikes are registered and that rider’s identities are linked with the bikes ridden. Global position systems (GPS) are also necessary to track fined riders to ensure that they pay fines in times. Surcharges should be encouraged where riders delay to pay express fines. This will, make drivers cautious of other road users’ safety when riding. This practice has been implemented in Uganda for automobile drivers and

some progress is being made reducing accidents and associated fatalities

The challenge of *boda bodas* is a political one (Jain, & Moraglio, 2014; Avery & Avery, 2002). Policy makers must understand the stakeholder interests and explore options for dealing with lost revenues by *boda boda* owners, riders and pedestrians that consider such mode of transport as a flexible and affordable option. This will be necessary for implementing the above cited strategies that are aimed at creating equilibrium with tradeoffs, necessary for making cities a place for everyone and civility (Avery et al., 2002).

Promotion of commercial storeyed parking buildings in the city and urban areas. Deliberate efforts by city planning authority should be considered in promoting such initiative. Building plans in the city should have 50% of pace for parking space to accommodate parking of cars. Only such building should be approved for construction in Kampala for years to come. This will help to reduce congestion on streets, which is considered one of the major causes of accidents by *boda boda* and motorists in the city. The city authorities should further promote stored commercial building through offering discounted price on building plans for storeyed parking, offer blanket advertising on TV, billboard and social media advertising.

Governments through their agents such Ministry of Transport and Works, Transport authorities in should promote less driving and riding in cities. Avery et al., (2002). Mohan (1989) argue that that when more and more people drive and ride, pollution and accidents combined kill more people. To reduce the number of people driving and riding, there is need to explore the opportunity of promoting combined transport such as light trains, licensing of scheduled bus companies to move in people and around town.

The Future

Most cities including Kampala are a result of poor planning. Causing major changes may appear to be costly, troublesome and is faced with high vulnerabilities to change resistance among city dwellers. Despite this hereditary challenge, using more of the air space rather than ground surface is recommended in such context.

However, opportunity for implementing thoughts lies in the journey of developing five regional cities and 5 strategic cities in Uganda as per the promise of Uganda Vision 2040. Elsewhere, this should form part of the current and future planning efforts. Failure to implement such initiatives is unforgiveable by generations to come.

REFERENCES

- [1] Ahmed, E., Imran, M., Guizani, M., Rayes, A., Lloret, J., Han, G., & Guibene, W. (2017). Enabling Mobile and Wireless Technologies for Smart Cities: Part 3. *IEEE Communications Magazine*, 55(5), 24-25.
- [2] Al-Masaeid, H., Al-Mashakbeh, A. & Qudah, A. (1998). Economic costs of traffic accidents in Jordan, *Accident Anal Preview*, 31: 347 – 357.
- [3] Ameratunga S, Hyder A, Norton R (2006). Road-traffic injuries: Confronting disparities to address a global-health problem. *Lancet*, Vol.367, pp 1533-1540.
- [4] Avery, J. G., & Avery, P. (2002). War on the roads: Major change is needed in politicians' and developers' attitudes. *BMJ: British Medical Journal*, 325(7358), 277.
- [5] Avery, J. G., & Avery, P. (2002). War on the roads: Major change is needed in politicians' and developers' attitudes. *BMJ: British Medical Journal*, 325(7358), 277.
- [6] Avery, J., Avery, P., Dwyer, J., Thompson, D., Reinhardt-Rutland, T., Moore, N., . . . Loudon, I. (2002). War On The Roads. *BMJ: British Medical Journal*, 325(7358), 277-279. Retrieved from <http://www.jstor.org/stable/25451992>.
- [7] Babbie Ross Silcock and Transport Research Laboratory, (2003). Guidelines for Estimating the Cost of Road Crashes in Developing Countries, Final Report, Department for International Development Project R7780. Transport Research Laboratory.
- [8] Bank of Uganda (2011) Monetary Policy Statement for August, 2011.
- [9] De Leon, M.M.R., Cal, P.C, & Sigua, R.G. (2005). Estimation of socio-economic cost of road accidents in Metro Manila, *Journal of the Eastern Asia Society for Transportation*, Vol.6, pp 3183 – 3198.
- [10] Dinesh Mohan. (1989). Transportation for the People of Bharat. *Economic and Political Weekly*, 24(51/52), 2829-2831. Retrieved from <http://www.jstor.org/stable/4395744>.
- [11] Dirks, S., & Keeling, M. (2009). A Vision of Smarter Cities: How Cities Can Lead the Way into a Prosperous and Sustainable Future.
- [12] Dirks, S., Gurdgiev, C., & Keeling, M. (2010). Smarter Cities for Smarter Growth: How Cities Can Optimize Their Systems for the Talent-Based Economy. Somers, NY: IBM Global Business Services.
- [13] Dirks, S., Keeling, M., & Dencik, J. (2009). How Smart is Your City?: Helping Cities Measure Progress. Somers, NY: IBM Global Business Services.
- [14] Garcia-Altes A, & Perez K. (2007). The economic cost of road traffic crashes in an urban setting, *Injury Prevention*, Vol.13, pp 65-68.
- [15] Gharaibeh, A., Salahuddin, M. A., Hussini, S. J., Khreishah, A., Khalil, I., Guizani, M., & Al-Fuqaha, A. (2017). Smart Cities: A Survey on Data Management, Security and Enabling Technologies. *IEEE Communications Surveys & Tutorials*.
- [16] <http://www.bou.or.ug/bou/home.html> (accessed 1st September 2011).
- [17] Jain, A., & Moraglio, M. (2014). Struggling for the use of urban streets: preliminary (historical) comparison between European and Indian cities. *International Journal of the Commons*, 8(2).

- [18] Jain, A., & Moraglio, M. (2014). Struggling for the use of urban streets: preliminary (historical) comparison between European and Indian cities. *International Journal of the Commons*, 8(2).
- [19] Jain, A., & Moraglio, M. (2014). Struggling for the use of urban streets: preliminary (historical) comparison between European and Indian cities. *International Journal of the Commons*, 8(2).
- [20] Jha, N. (1997). Road, traffic accident cases at BPKIHS, Dharan, Nepal: One year in retrospect, *Journal of Nepal Medical Association*, 35: 241-4.
- [21] Jha, N., Srinivasa, D.K., Roy, G., & Jagdish, S. (2004) Epidemiological study of road traffic accident cases: a study from south India, *Indian Journal of Community Medicine*, Vol. XXIX, No.1, pp 20 – 24.
- [22] Patrick, A. R. (1993). *U.S. Patent No. 5,232,237*. Washington, DC: U.S. Patent and Trademark Office.
- [23] Jolly, M.F, Fogging, M.P, & Less B.I. (1991). Geographical and socio-ecological variations of Traffic Accidents among children, *Social Sciences and Medicine*, Vol. 22(7) pp765-9.
- [24] Jukan, A., Masip-Bruin, X., & Amla, N. (2017). Smart Computing and Sensing Technologies for Animal Welfare: A Systematic Review. *ACM Computing Surveys (CSUR)*, 50(1), 10.
- [25] Keskinen, E., Ota, H. & Katila, A. (1998). Older drivers fail at intersections: Speed discrepancies between older and younger male drivers. *Accident Analysis and Prevention*, 30 (3), 323–330.
- [26] Kigera, J., Nguku, L., & Naddumba, E.K. (2010). The Impact of Bodaboda Motor Crashes on the Budget for Clinical Services at Mulago Hospital, Kampala, *East and Central African Journal of Surgery*, Vol.15(1), pp 57 – 6.
- [27] Kin, B., Verlinde, S., & Macharis, C. (2017). Sustainable urban freight transport in megacities in emerging markets. *Sustainable cities and society*, 32, 31-41.
- [28] Kobelt G. (2002). *Health economics: an introduction to economic evaluation*, London: Office of Health Economics.
- [29] Kobusingye, O.C., Guwatudde, D., Owor, G., & Lett, R. R. (2002). Citywide trauma experience in Kampala, Uganda: a call for intervention. *Injury Prevention*, 8:133-136.
- [30] Kumaranayake L, Pepperall J, Goodman H, Mills A, & Walker D. (2000). *Costing guidelines for HIV/AIDS prevention strategies*. Geneva: UNAIDS.
- [31] Lowe, M. D. (1990). Alternatives to the automobile: Transport for livable cities. *Ekistics*, 269-282.
- [32] Luatthep, P., & Tanaboriboon, Y. (2005). Determination of economic losses due to road crashes in Thailand, *Journal of the Eastern Asia Society for Transportation Studies*, Vol. 6, pp. 3413 – 3425.
- [33] Maraste, P., Persson, U. & Berntman, M. (2003). Long-term follow-up and consequences for severe road traffic injuries – treatment costs and health impairment in Sweden in the 1960s and the 1990s, *Health Policy*, Vol. 66, pp 147-58.
- [34] Mehta, S.P. (1968). An epidemiological study of road traffic accident cases admitted in Safdarjang Hospital, New Delhi, *Indian Journal of Medical Research*, 56(4), pp 456-66.
- [35] Midgley, P. (2009). The role of smart bike-sharing systems in urban mobility. *Journeys*, 2(1), 23-31.
- [36] Miller T. & Blewden M. (2001). Costs of alcohol-related crashes: New Zealand estimates and suggested measures for use internationally. *Accident Analysis and Prevention*, 33: 783-91.
- [37] Mohan, D., & Tiwari, G. (1999). Sustainable transport systems: linkages between environmental issues, public transport, non-motorised transport and safety. *Economic and Political Weekly*, 1589-1596.
- [38] Nantulya V. & Reich M. (2003). Equity dimensions of road traffic injuries in low and middle income countries, *Injury Control Safety Promotion*; Vol.10, pp13–20.
- [39] National Planning Authority. 2010. Vision 2040. A Transformed Ugandan Society from a Peasant to a Modern and Prosperous Country within 30 years.
- [40] Odero W, Garner P. & Zwi A. (1997). Road traffic injuries in developing countries: a comprehensive review of epidemiological studies, *Tropical Medicine International Health*, Vol.2, (5), pp 445-60.
- [41] Odero W, Khayesi M, Heda PM. (2003). Road traffic injuries in Kenya: magnitude, causes and status of intervention. *Injury Control & Safety Promotion*, Vol. 10(1-2) pp 53-61.
- [42] Osoro M. E., Ng'ang'a Z., Oundo J., Omolo J. & Luman E. (2011). Factors associated with severity of road traffic injuries, Thika, Kenya, *Pan African Medical Journal*, 8(20).
- [43] Peden M., Scurfield, R., Sleet, D., Jyder, A., Jarawan, E. & Mathers, C. (2004). *World report on road traffic injury prevention*, Geneva, World Health Organization.
- [44] Pitaggravej T. (1997). Economic losses due to transport accidents in Thailand, *Journal of Health Sciences*, Vol.6, pp 185-93.
- [45] Piyauthakit P & Chaikledkaew U. (2008). Economic burden of road traffic injuries: A micro-costing approach, *Southeast Asian Journal of Tropical Medicine and Public Health*, Vol. 39(6), pp 1139 – 1149.
- [46] Pornlertwadee P. (2002). Societal perspective on the cost of diabetes mellitus at Ampawa Hospital, Samutsongkram Province. Bangkok: Mahidol University, MS thesis 17 Riewpaiboon Prosperous and Sustainable Future. Somers, NY: IBM Global Business Services.
- [47] Rutter, D.R. & Quine, L., (1996). Age and experience in motorcycling safety, *Accident analysis and Prevention* 28(1), 15.
- [48] Sexton, B, Baughan, C., Elliot, M. & Maycock, G. (2004). The accident risk of motorcyclists, Summary of TRL Report, TRL607.
- [49] Solano, S. E., Casado, P. P., & Ureba, S. F. (2017). Smart Cities and Sustainable Development. A Case Study. In *Sustainable Smart Cities* (pp. 65-77). Springer International Publishing.
- [50] Sumiratana W. (1998). A study of costs of road accidents among patients admitted into general hospitals under the Department of Medical Services, Ministry of Public Health,

Journal of Health Sciences, Vol.7, pp 1-12.

- [51] Suwanrada W. (2005). Economic loss due to road traffic accidents in Thailand, Bangkok: Center for Development Policy Studies, Faculty of Economics, Chulalongkorn University, 2005 World Health Organization, (2004) World Report on Road Traffic Injury Prevention, Geneva, Switzerland.
- [52] Thynell, M., Mohan, D., & Tiwari, G. (2010). Sustainable transport and the modernisation of urban transport in Delhi and Stockholm. *Cities*, 27(6), 421-429.
- [53] Tiwari, G. (2002). Urban transport priorities: meeting the challenge of socio-economic diversity in cities, a case study of Delhi, India. *Cities*, 19(2), 95-103.
- [54] Uganda Police. (2016). Traffic Report.
- [55] Walter, A., Finger, R., Huber, R., & Buchmann, N. (2017). Opinion: Smart farming is key to developing sustainable agriculture. *Proceedings of the National Academy of Sciences*, 114(24), 6148-6150.
- [56] World Bank. 2017. Uganda Economic Update: Infrastructure Deficit Challenge.
- [57] Calvo, C. M. (1994). *Case study on intermediate means of transport: bicycles and rural women in Uganda*. Environmentally Sustainable Development Division, Technical Department, Africa Region, World Bank.
- [58] Mbara, T. C. (2002). Transport: How have African Cities managed the sector? What are the possible options. *urban and city management course for Africa, Uganda*.
- [59] World Development Report (2000). Entering the 21st Century.
- [60] Republic of Uganda. (2010) Vision 2040. UPPC.
- [61] Jain, A., & Moraglio, M. (2014). Struggling for the use of urban streets: preliminary (historical) comparison between European and Indian cities. *International Journal of the Commons*, 8(2).